

Content of the book:

About the author	1
What this book has to offer you	7
Foreword	9
About the cases	13
The repertory and the repertorisations	15
Potency selection	16
1. THEORETICAL PART	19
Introduction	19
The prognosis	20
Symptom evaluation	37
Strategies for finding the homeopathic remedy	40
Differentiating remedies	54
2. CASE STUDIES	57
Case 1: Cough during measles - Anamnesis	57
Case 2: Sacralgia - Anamnesis	57
Case 3: Cough with dyspnoea - Anamnesis	57
Case 4: Tick bite - Anamnesis	58
Case 5: Gastroenteritis - Anamnesis	58
Case 6: Influenza - Anamnesis	58
Case 7: Mastitis - Anamnesis	59
Case 8: Non-healing postoperative wound - Anamnesis	59
Case 9 : Tonsillitis with fever - Anamnesis	59
Case 10: Lymphangitis - Anamnesis	60
Case 11: Pneumonia - Anamnesis	60
Case 12: Hay fever - Anamnesis	60
Case 13: Epistaxis - Anamnesis	61
Case 14: Fever with delirium - Anamnesis	61
Case 15: Sprain of the ankle - Anamnesis	62
Case 16: Headache after concussion - Anamnesis	62
Case 17: Tendinitis - Anamnesis	62
Case 18: Fistula - Anamnesis	63
Case 19: Acute Psychosis - Anamnesis	63
Case 20: Pfeiffer's disease - Anamnesis	64
Case 21: Gastroenteritis - Anamnesis	64
Case 22: Urinary tract inflammation - Anamnesis	64
Case 23: Pain and swelling of the ovary - Anamnesis	65
Case 24: Complaints from overexertion - Anamnesis	65
Case 25: Pneumonia - Anamnesis	66
Case 26: Terminal care - Anamnesis	67

Content of the book

Case 27: Hot flushes during menopause - Anamnesis	68
Case 28: Complaints after Pfeiffer's disease - Anamnesis	68
Case 29: Vertigo - Anamnesis	69
Case 30: Chronic cold and cough - Anamnesis	70
Case 31: Pharyngitis - Anamnesis	71
Case 32: Sinusitis - Anamnesis	72
Case 33: Delirium tremens - Anamnesis	72
Case 34: Inflammation of the vocal cords after injury - Anamnesis	73
Case 35: Lymphangitis - Anamnesis	74
Case 36: Shortness of breath - Anamnesis	74
Case 37: Impetigo - Anamnesis	75
Case 38: Recurrent cough - Anamnesis	76
Case 39: Sleeping disorders in a nursling - Anamnesis	77
Case 40: Skin complaints in a dog - Anamnesis	78
Case 41: Eruptions after playing near a chemical factory - Anamnesis	78
Case 42: Palpitations of the heart - Anamnesis	79
Case 43: Hypertension during pregnancy - Anamnesis	80
Case 44: Sleeplessness - Anamnesis	82
Case 45: Herpes zoster - Anamnesis	83
Case 46: Post-operative inflammations - Anamnesis	84
Case 47: Hypertension - Anamnesis	85
Case 48: Behavioural problems - Anamnesis	86
Case 49: Tiredness and hyperventilation - Anamnesis	88
Case 50: Weakness during pregnancy - Anamnesis	89
Case 51: Abdominal pains and behavioural problems - Anamnesis	90
3. ANALYSIS OF THE CASES	93
Case 1: Cough during measles - Analysis	93
Case 2: Sacralgia - Analysis	97
Case 3: Cough with dyspnoea - Analysis	102
Case 4: Tick bite - Analysis	106
Case 5: Gastroenteritis - Analysis	111
Case 6: Influenza - Analysis	115
Case 7: Mastitis - Analysis	119
Case 8: Non-healing postoperative wound - Analysis	123
Case 9: Tonsillitis with fever - Analysis	126
Case 10: Lymphangitis - Analysis	131
Case 11: Pneumonia - Analysis	135
Case 12: Hay fever - Analysis	139
Case 13: Epistaxis - Analysis	143
Case 14: Fever with delirium - Analysis	146
Case 15: Sprain of the ankle - Analysis	152
Case 16: Headache after concussion - Analysis	155
Case 17: Tendinitis - Analysis	160
Case 18: Fistula - Analysis	164

Content of the book

Case 19: Acute psychosis - Analysis	168
Case 20: Pfeiffer's disease - Analysis	172
Case 21: Gastroenteritis - Analysis	177
Case 22: Urinary tract inflammation - Analysis	181
Case 23: Pain and swelling of the ovary - Analysis	185
Case 24: Complaints from overexertion - Analysis	192
Case 25: Pneumonia - Analysis	196
Case 26: Terminal care - Analysis	201
Case 27: Hot flushes during menopause - Analysis	206
Case 28: Complaints after Pfeiffer's disease - Analysis	211
Case 29: Vertigo - Analysis	217
Case 30: Chronic cold and cough - Analysis	222
Case 31: Pharyngitis - Analysis	227
Case 32: Sinusitis - Analysis	231
Case 33: Delirium tremens - Analysis	237
Case 34: Inflammation of the vocal cords after injury - Analysis	241
Case 35: Lymphangitis - Analysis	247
Case 36: Shortness of breath - Analysis	250
Case 37: Impetigo - Analysis	255
Case 38: Recurrent cough - Analysis	260
Case 39: Sleeping disorders in a nursling - Analysis	267
Case 40: Skin complaints in a dog - Analysis	274
Case 41: Eruptions after playing near a chemical factory - Analysis	278
Case 42: Palpitations - Analysis	284
Case 43: Hypertension during pregnancy - Analysis	292
Case 44: Sleeplessness - Analysis	300
Case 45: Herpes zoster - Analysis	306
Case 46: Post-operative inflammations - Analysis	313
Case 47: Hypertension - Analysis	319
Case 48: Behavioural problems - Analysis	327
Case 49: Tiredness and hyperventilation - Analysis	338
Case 50: Weakness during pregnancy - Analysis	345
Case 51: Abdominal pains and behavioural problems - Analysis	352
4. INDEX	363
5. NOTES	375

What this book has to offer you

- **Clear instructions** about how to **analyse** the information coming from the homeopathic consultation and how to **synthesize** this outcome into a homeopathic prescription
- **Insight** in how to make a **prognosis**, considering:
 - ❖ what has to be treated as to **pathology**,
 - ❖ what the **condition of the defence mechanism** is and the patient's **level of health**,
 - ❖ possible **causative** and disease-maintaining **factors**,
 - ❖ the patient's personal and family **medical history**,
 - ❖ the **patient's functioning** as a **human being**: mentally, emotionally and socially,
 - ❖ the **clearness** of the **remedy pattern**.
- Information that enables you to better **estimate** the **duration** and **complexity** of the **treatment**.
- The ability to **judge** the **symptoms** presented in the case as to their **peculiarity** and how to find the **distinctive** characteristic symptoms of the case.
- A **well-structured schedule** about the **different strategies** that can be used to arrive at a homeopathic prescription, enabling you to choose the **right strategy** in order to make the **correct prescription**.
- Knowledge how to **differentiate** the appropriate **remedies** and select the most similar one.
- Guidelines along which you can select the **right potency** to start the treatment with.
- Practical tips helping you to **correctly evaluate** the **reaction** to the **prescribed remedy**.
- **Fifty-one cases**, with a **long-term treatment** up to **more than twenty years**, to practise your knowledge on prognosis, case analysis, materia medica, potency selection and evaluation of the case.

1. THEORETICAL PART

Introduction

The main goal of homeopathic analysis is to find the homeopathic remedy that is the closest match to the symptom pattern that has been developed by the defence mechanism as a reaction to the disturbance that is threatening the organism. If the remedy is correct then the defence mechanism will be positively stimulated and therefore able to protect the organism more adequately by halting or restraining the disease promoting processes. To those who are not familiar with the homeopathic method of analysing a case, it may seem strange that the selection of a homeopathic remedy is usually not done only by using the pathological diagnosis that the patient received. In contrast, in most cases the final choice is made by using those symptoms that are not pathogenic at all but that are peculiar for the condition we are going to treat in this particular patient - in other words, for the individual response by the defence mechanism to the disturbance that threatens the organism. For instance, a patient may present with a chronic bronchitis but the curative remedy is chosen by the following symptoms: the cough is worse around 1:00 hours in the afternoon, the patient has a tendency towards depression, loves salty fish and can only sleep on the right side. The reason why these symptoms are used is because the defence mechanism, in its attempt to correct the ongoing disturbance, can produce symptoms in every aspect of the patient, whether mental-emotional or physical, general or local and not only in that anatomical part where the main complaint is seated. The symptoms needed to find the corresponding homeopathic remedy are usually recognised because they distinguish this case from another with the same pathology or complaint.

Thus, in order to find the correct homeopathic remedy, the homeopath must search in the totality of the symptoms (see *Totality* page 42) those that are characteristic for each individual case. A characteristic symptom can be recognised by looking for the peculiar or intense elements in a case. In the example mentioned above, we see peculiar symptoms for this particular case, but there are other cases where there are no such peculiar symptoms. In cases like these, we are often guided by the most

enough then the new layer will be clearly recognisable. If the organism is in a less good condition, then the layer will be less clear or even unclear. It is also possible that there are more remedy layers, especially if there are more causative factors. If a causative factor is very strong and the overall state of health is not good, then it is possible that more than one remedy is needed to counteract the effect of one causal factor.

It should be clear that when the overall energy has become low and/or the symptom pattern has been changed the treatment will take longer. The remedy will need to be repeated more often or more remedies will be needed.

Family medical history

Genetic (or hereditary) predisposition

This subject is important because:

1. The prognosis can be worse when the same or a similar pathological condition as the one the patient has runs in the family.
2. The condition of the family and the ancestors can provide information about the overall state of health of the patient.

The condition of the patient's defence mechanism is dependent on the level of health of the parents at the moment of conception.¹ In the same way, the health of the ancestors determines the level of health of someone's parents. It is therefore important to pay attention to the medical history of the patient's family as it can provide information on the condition of the defence mechanism and the overall state of health of the patient we are going to treat. The stronger the genetic predisposition, the worse the prognosis can be. Patients from families with many deep pathologies (mental-emotional or physical), many long-lasting chronic diseases or severe complaints arising at an early age, can be more difficult to treat.

The hereditary predisposition is listed among the other causes of disease (see *Causative factors* page 25) but the difference with the other causal factors is that this one is an endogen maintaining cause, while the others are exogen triggering causes.

¹ Vithoukias G., *The Science of Homeopathy*, International Academy of Classical Homeopathy, Alonissos, fifth edition 2009, page 128.

*The more each one restrains the tendency to carelessness in prescribing and in method, the wiser he becomes in artistic effects and materia medica work. The two features of prescribing must go hand in hand, and must be kept in a high degree of balance, or loose methods and habits will come upon any good worker.*¹

Totality

The word 'totality' has given rise to a lot of confusion amongst homeopaths. What S. Hahnemann meant was that we do not prescribe for a local symptom only, because of the danger of suppression. This was one of the major mistakes made by his contemporary allopathic colleagues and still is the main problem of allopathic medicine nowadays. Therefore the homeopath will, apart from the complaint for which he has been consulted, also take into consideration the other local complaints (even when they are not important to the patient), the general symptoms and the disease maintaining and causative factors. From these we extract those that are useful for a homeopathic analysis. So by the word 'totality' we do not mean all the symptoms of a case, but those that can be used from all the information gathered during the consultation because they are characteristic and distinctive.

The totality can be divided into the following three parts:

- Psychological symptoms (mental and emotional).
- Physical generals.
- Local symptoms.

Using the components of totality for the prescription

For patients who have a good overall state of health and a well-functioning defence mechanism, we can easily find the homeopathic remedy. In such patients we can make a prescription on totality, which means that we can find the remedy no matter how we analyse the case. The characteristics are found in every part of the symptoms - local or general - and give the same result.

If, however, the defence mechanism is weakened in some way, then prescribing on totality will become more and more difficult. If the defence mechanism works in a less orderly manner, but the overall energy is still

¹ Kent J.T., New Remedies - Clinical Cases - Lesser Writings, Jain Publishers, New Delhi, reprint 2004, page 257.

birth the heart rhythm was normal. The delivery went smoothly, without problems. His physical development is normal.

So far he has only had breast milk because he refuses all other kinds of food. His stools are normal.

He easily gets nasal colds [1]. This started when he was three weeks old. The nasal discharge is greenish [2].

His feet are often cold [1]. He does not perspire a lot.

The mother has had eczema since the birth of her sons. The father suffers from sleeping disorders and lack of self-confidence. Vaccinations did not aggravate the child's situation.

Case 40: Skin complaints in a dog - Anamnesis

The owner of a 3-year-old male Dalmatian asks for my help for a skin eruption the dog has. The eruption is mainly situated on the lower part of the front legs. The skin becomes very red [3] and probably itches because the dog bites and licks the sore areas until they bleed [2/3]. His left hind leg is less developed than his right one. That is why he starts limping when he has to walk a long distance. His appetite is good, but he does not drink much. He does not tolerate cold very well, but he neither likes the sun.[2] Although this is a male dog, he is good-tempered by nature [2] and is never aggressive. The dog is timid and does not go up to strangers [2]. He is naive in that he does not recognise dangerous situations [2]. The owner says that she has problems training the dog. He does not seem to learn from things [3], for example, he recently has stumbled four times over the same piece of barbed wire.

Case 41: Eruptions after playing near a chemical factory - Anamnesis

A 3,5-year-old boy has red, purulent crusts in his nose and around his nostrils.[2] They appeared after he had played near a chemical factory. All the other children playing there also developed these crusts for a few days. With this boy, however, they did not go away. For a little while now, he has also had a little spot on his right cheek and on the right corner of his mouth. The family doctor was unable to make a diagnosis.

slightly burning. The recovery continued and on the third day hardly any inflammation was visible. There has been no relapse or complication in the past seven years.

Case 36: Shortness of breath - Analysis

Prognosis

Depth of the disturbance

The disturbance in this case is on the physical plane and is not situated very deeply. The child develops recurrent coryza, a complaint situated in the upper part of the respiratory tract. This is favourable for the prognosis. We do see, however, that lately dyspnoea has developed. This shows that the complaint has the tendency to become more severe. On the other hand the defence mechanism is able to persist in producing skin complaints which is a good sign.

Personal medical history

In this case we see a clear reaction to vaccinations. At the time that this case was treated, the first vaccination had been given at three months of age. This is the age at which the boy's complaints appeared. Both reactions were not very strong ones, not with high fever, and therefore they can have left a lasting disturbance.

Apart from this, we see a strong emotional stress period for the mother at the end of the pregnancy. This sometimes has an influence on the condition of the unborn child, which can still play a part after birth.

Family medical history and hereditary predisposition

The child's complaints are connected to a predisposition in the family as the mother herself suffers from respiratory complaints. This may make the treatment more intensive, meaning that it may last longer or that it will require several remedies.

Conclusion

In this case we should take careful note of the reaction to the vaccination, because a new disturbance may have originated from the

vaccination, bringing on a new symptom pattern related to a causal remedy. It is also possible that it has weakened the defence mechanism in another way, so that the still dormant hereditary predisposition becomes active more quickly. (see *Suppressive therapies and vaccinations* page 27) In this case we already see a connection with the hereditary predisposition through the respiratory complaints of the mother.

Furthermore, there is the strong emotional stress the mother has gone through at the end of the pregnancy. We have to take into consideration that it can influence the development of the unborn child in a negative way and therefore may produce another causal layer that needs to be treated separately. But because the current disease is so strongly related to the hereditary predisposition and the child is emotionally balanced, this does not seem very likely here.

In general the homeopathic treatment of this child's complaints should not present us with any problems. However, this depends on the extent to which the vaccinations and the hereditary predisposition have been able to weaken the defence mechanism. This could slow down the cure and prolong the treatment for reasons described above. (see *Conclusion for causative factors* page 28)

By applying the knowledge of the levels of health we can get more specific insight in the condition of the defence mechanism and make a better prognosis. This child has recurrent acute diseases with high fever. This puts him in group B. As the acute diseases are superficial, presented as coryza, he is most probably in level 4. This means that the defence mechanism has been weakened to a certain extent but not very severely. This is in favour of the prognosis. However, we see that the child has developed dyspnoea for the first time. This shows that the defence mechanism already has difficulty to maintain the present balance.

Selection of symptoms

Peculiar symptoms

- Great thirst.
- Desire for oranges and mandarin oranges.
- Sleeping position on the knees, increased during shortness of breath.

Selection of symptoms

Peculiar symptoms

- Eruptions on the lower part of the front legs that are red and itch.
- Aggravation from cold and warmth.

Intense symptoms

- Bites or licks until the legs bleed.
- Good-tempered by nature, timid.
- Naive, difficult to learn things.

The under-developed hind leg is not taken as a symptom as it cannot be treated. It is purely a sign of the hereditary predisposition. I do not take the aversion to strangers as a symptom, as this is normal in a timid nature.

Repertorisation and selection of remedy

The anatomical part of the dog where the eruption is situated matches the human hand. As the skin complaint consists of redness, I also use the rubric *Extremities - discoloration - hand - redness*.



Difficulty with learning things is found under *Mind - studying*. This may sound a bit odd, but for an animal its training is mental exertion.

Repertorisation with filter 'Vithoulkas view 2006'

1	1	EXTREMITIES - ERUPTIONS - Hands	60
2	1a	EXTREMITIES - ERUPTIONS - Hands - red	16
3	1a	EXTREMITIES - DISCOLORATION - Hand - redness	35
4	1	EXTREMITIES - ERUPTIONS - Hands - itching	19
5	1	SKIN - ITCHING - scratching - agg. - bleeds; must scratch until it	27
6	1	GENERALS - COLD - heat and cold	59
7	1	MIND - MILDNESS	85
8	1	MIND - TIMIDITY	129
9	1	MIND - STUDYING - difficult	22

	sep.	sulph.	ars.	nat-m.	phos.	puls.	carb-v.	lyc.	graph.	bar-c.
	20	20	18	18	18	18	17	17	16	15
1	1	2	1	2	1	1	3	3	3	-
2	-	1	-	-	-	-	-	1	-	-
3	1	1	-	1	1	1	-	-	-	1
4	1	1	1	-	1	-	3	-	2	-
5	1	2	3	-	1	2	1	-	2	2
6	2	2	-	3	-	1	1	3	2	1
7	2	2	3	3	2	3	-	2	-	-
8	3	3	2	2	3	4	2	3	2	4
9	1	-	2	1	2	-	1	-	-	2

Differentiation of remedies

Although *Sepia officinalis* scores high on totality, it has no keynotes or essence in this case.

Sulphur is one of the main remedies for the treatment of skin eruptions, especially when they itch a lot. There are no other keynotes or psychological essence to confirm it.

Arsenicum album is in bold for scratching until it bleeds, but cannot be confirmed otherwise.

Natrium muriaticum has aggravation by the sun as a keynote. The psychological essence cannot be confirmed.

In *Phosphorus* we expect the opposite of what we see here. Primarily it has symptoms such as being extroverted and bright.

Pulsatilla pratensis has aggravation from the sun as a keynote. We can see timidity as part of the psychological essence.

Carbo vegetabilis is the main remedy for the local complaint for which we were consulted according to the repertory, but it is not a keynote of the remedy in the materia medica. The essence is not confirmed.

4. INDEX

- Abdomen
 - Distended 69
 - Pain 75. *See Abdominalgia*
 - Rumbling 60; 121
 Abdominalgia 68; 96; 111; 240; 369
 Acne 89; 95; 361
Aconitum napellus .. 138; 158; 211;
 212
 Acute diseases..... 25
 - Infectious 29
 - Non-specific 327
 Addictions 26
 ADHD 342
 Advanced pathology 49
Aesculus hippocastanum. 107; 109
 Agression 66
 Alcohol poisoning..... 251
 Alcoholism..... 26; 77; 250
Aletris farinosa 365
 Allergy 91; 93; 147; 333; 342
 - Colouring additives 93
 - Flowers 91
 - Hair 91
 - Milk 93; 345
 - Nuts 93
Allium cepa 150; 151; 258
Aloe socotrina 121; 122; 123
 Alternating symptoms 41; 50
Ambra grisea..... 102
Amylenum nitrosum 39
 Amyotrophic Lateral Sclerosis . 105
 Anaemia..... 86
 Analogies 54
 Ancestor 31
 Anger..... 81; 84; 94; 274; 293; 354
 Animal kingdoms 54
 Ankles 65; 161; 162
 - Sprains 65; 91; 160
 - Weak 91; 335
 Anorexia..... 26
Antibiotics... 74; 119; 143; 144; 235
Antimonium crudum 271
Antimonium tartaricum 103
 Anxiety..... 70; 71; 208
 - Health, about 97; 369
Apis mellifica 117; 138; 194; 328
 Archive for homeopathy ... 213; 376
Argentum nitricum 248
Arnica montana 51; 52; 53; 133;
 162; 168; 172
Arsenicum album..... 145; 149; 200;
 217; 237; 238; 277; 329; 374
 Asperger 342
 Asthma 14; 145
 Asthmatic bronchitis 61
 Athlete's foot..... 91; 333
 Attention seeking behaviour 97; 370
Aurum metallicum..... 68; 233; 339
 Babies 285
 Back complaints 124
 Bad life style 26; 27; 178; 254; 334;
 353
 Baldness..... 33
Baryta carbonica 233; 290
 BCG vaccine 324
 Behaviour problems 92; 97; 342
Belladonna .. 39; 97; 126; 129; 137;
 138; 139; 157; 158; 167; 212;
 258; 295; 296; 309
Bellis perennis 162; 163; 172
 Bladder
 - Inflammation *See Cystitis*
 - Pain 68
 Bleeding *See Haemorrhage*
 Blinking 93
 Blood vessel, injury of 153
 Boils 23
 Bone pains 33
Borax veneta 284
Borrelia afzelii..... 114
Borrelia burgdorferi..... 114
Borrelia garinii 114

Index

- Borrelia lonestarii* 114
Brain, complaints of 136
Breast..... See *Mammæ*
Breast inflammations ..See Mastitis
Bromium..... 238; 242
Bronchitis 83; 291
*Bryonia alba*65; 107; 112; 113; 145;
166; 171; 200; 316; 356
- Desire to be carried 284
Buboes 33
Bufo rana..... 262
Bulbar paralysis 25
Bursitis 169; 173
Calcarea carbonica . 46; 50; 51; 52;
130; 162; 222; 223; 228; 284;
285; 309; 315; 337
Calcarea fluorica 50
Calcarea iodata 50
Calcarea phosphorica 50; 172; 373
Calcarea sulphurica .. 50; 317; 373;
374
Calcium phosphoricum 338
Calendula cream..... 85; 142
Calendula officinalis . 133; 134; 142
Calendula tincture 62; 142
Cancer..... 35
Cannabis indica 181
Carbo vegetabilis 153; 310; 311
Carcinogenic predisposition 35; 343
Caries, teeth 75
Carsickness..... 74
Castor equi..... 130
Causal factors ... 20; 26; 29; 31; 34;
38; 51; 52
Causal prescription .. 169; 323; 375
Causticum 108; 172
Chamomilla 323; 356
Characteristic symptoms..... 19
Chelidonium majus 57; 167; 191
Chemical factory 83; 292
Chest, pain 111
Chickenpox 62; 135
Children's remedies 137
Chilliness .66; 72; 75; 78; 174; 178;
183; 220; 236; 256; 306; 370
Chills 70; 124; 209
China officinalis 153; 248; 347
Chininum sulphuricum..... 248
Cholesterol, high 91; 335
Cimicifuga racemosa..... 207
Circulatory complaints 305; 333
Claustrophobia See *Fear narrow
places*
Climacteric complaints 219; 223
Clinical homeopathy 50
Coagulation problems 151
Cocculus indicus 167; 233; 234
Coccyx 66; 174
Colitis ulcerosa 122
Colocyntis 98
Combination of pathologies..... 340
Combination remedies50; 248; 318;
373
Complaint-oriented analysis 49
Complementary remedies .54; 243;
244; 285
Compulsive behaviour..... 314
Concentration, difficult...63; 92; 96;
148; 177; 346; 361
Concomitant symptoms41; 50; 202;
244; 245; 249; 291; 320
Concussion.....65; 163; 168
Condylomata 33
Conium maculatum .. 129; 130; 131
Conjunctivitis 84; 291
Connective tissue 162
Constipation..... 96; 361
Contagion 32
Contraceptive 95
Contradiction of keynotes...57; 318
Contusion..... 142
Cortisonum 53
Coryza 64; 74; 81; 83; 93; 235; 281
Cough59; 62; 64; 75; 78; 79; 81;
100; 111; 123; 256; 274
- Barking 96; 370
- Chronic 74; 235

Index

-
- Deep 64; 156
 - Dry 96; 370
 - Loose 64; 156
 - Rattling 81
 - Creative people 35
 - Croton tiglium*..... 130
 - Crusts..... 83; 85; 293
 - Cursing..... 94; 354
 - Cuts..... 78; 133
 - Cystitis 68; 192
 - D potencies 341
 - Defence mechanism
 - Compromised 25; 49; 51
 - Deficient 147
 - Good condition 104; 109; 110; 114; 135
 - Weak 29; 42; 44; 110; 124; 155
 - Deficiency 33
 - Dehydration..... 188
 - Delirium
 - Fever, during 64; 155; 157
 - Delirium tremens..... 77; 250
 - Delusions 54; 177
 - Cats 77; 251
 - Frightening 77; 251
 - God 66; 178
 - Laughed at 81; 274
 - Men 77; 251
 - Scary figure 64
 - Strange creatures 77
 - Dentition..... 62
 - Depression..... 69; 85; 196
 - Despair..... 66; 178
 - Destruction..... 33
 - Diabetes mellitus 23
 - Diaper rash 79; 265
 - Diarrhoea .60; 80; 82; 96; 120; 274
 - Differentiating remedies 56
 - Diplopia 61; 124
 - Directions of cure 13; 22; 24; 55; 104; 109; 113; 127; 139; 231; 249; 267; 279
 - Discharges, quality 40
 - Disease-maintaining factors 20; 26; 334
 - Dissimilar diseases..... 231
 - Distention *See Abdomen:-Distended*
 - Distinctive symptoms 19; 55
 - Dizziness *See Vertigo*
 - Dogs 83; 287
 - Dominant 94; 354
 - Double vision..... *See Diplopia*
 - Dreams
 - Daily occurrences 95
 - Dead people 92; 345
 - Disconnected 67; 184
 - Monsters 92
 - People chasing her 71; 220
 - Restless 89; 321
 - Tipping a servant girl 70; 209
 - War 73; 226
 - Drosera rotundifolia*.... 97; 102; 368
 - Dullness..... 63; 148; 151
 - Dyspnoea . *See Respiration difficult*
 - Ear
 - Inflammation 76
 - Pain 59; 64; 104; 134; 156
 - Ecchymosis 133; 162
 - Echinacea angustifolia* 329
 - Echinacea purpurea* 59
 - Eczema 14
 - Elimination..... 302; 346; 365
 - Emotional 'make up' 251
 - Emotional plane..... 22
 - Emotional symptoms 39
 - Energy complex..... 29
 - Epistaxis 63; 76; 80; 84; 87; 97; 151; 245; 269; 293; 307; 370
 - Eruptions 59; 100
 - Eruptions .14; 60; 83; 88; 287; 288; 291
 - Itching 60
 - Erythema chronica migrans 114
 - Essence..... 47; 113; 202; 303; 310
 - Essence, psychological ... 186; 228; 253; 277; 285; 290; 317; 324; 339; 357; 358; 374; 375
-

Index

-
- | | | | |
|-------------------------------|---------------------------------|---------------------|--------------------------|
| Eustachian tubes | 136; 230 | - Aggravation | |
| Exhaustion | <i>See Tiredness</i> | - Chocolate | 80 |
| Experiments | 37 | - Coffee | 73; 95; 226; 354 |
| Extrasystoles..... | 84; 299 | - Fat | 80; 91; 270 |
| Eyeballs..... | 70; 209 | - Fruit | 89; 321 |
| Eyes | | - Ice cream | 75; 80; 236; 270 |
| - Burning | 63 | - Milk | 93; 345 |
| - Itching | 63; 148 | - Nuts | 93 |
| - Redness | 63 | - Pancakes | 80 |
| Fancies | | - Sauerkraut | 91 |
| - Lively | 92; 346 | - Spinach | 91 |
| Fear..... | 64; 97 | - Sweets | 89; 321 |
| - Alone at night, being | 86; 307 | - Aversion | |
| - Bed, in | 84; 293 | - Beer | 90; 331 |
| - Cancer | 85; 89; 299 | - Chicory | 84 |
| - Dark | 86; 92; 307 | - Cold drinks | 69; 198 |
| - Doctor | 66; 174 | - Eggs | 88; 314 |
| - Dogs | 84; 293 | - Meat | 95 |
| - Examinations | 73 | - Onions | 67; 184 |
| - Failure | 73; 226 | - Sweets | 69; 198 |
| - Murdered, being | 77; 251 | - Tea | 89; 321 |
| - Narrow places | 86; 307 | - Tomatoes | 84; 293 |
| - Not being liked | 81; 274 | - Desire | |
| - Poisoned, being | 77; 251 | - Bacon | 75; 236 |
| - Swimming in deep water | 72; | - Beer | 66; 91; 335 |
| 220 | | - Bitter | 66 |
| - Theft | 77; 251 | - Bread | 81; 274 |
| - Thunderstorm | 66; 72; 86; 89; | - Carbonated drinks | 67 |
| 174; 220; 307; 321 | | - Cheese | 95; 361 |
| - Wind | 89; 321 | - Fish | 66; 174 |
| - Wrong, doing something | 92 | - Hearty food | 69; 72; 76; 90; |
| Felon | 75 | 198; 220; 245; 331 | |
| Fever..... | 62; 64; 67; 68; 70; 75; 76; 81; | - Lemons | 84; 212; 293 |
| 135; 156; 158; 210 | | - Lukewarm drinks | 62 |
| Fighting | 92 | - Mandarin orange | 79; 264 |
| First aid kit..... | 153 | - Meat | 75; 91; 335 |
| Fistula..... | 66; 174 | - Milk | 73; 93; 94; 95; 346; 361 |
| Flatulence..... | 69 | - Oranges | 79; 264 |
| Flu | <i>See Influenza</i> | - Refreshing things | 96; 361 |
| <i>Fluoricum acidum</i> | 356 | - Salad | 69; 198 |
| Flushes of heat | 78; 256 | - Salt | 76; 245 |
| - Menopausal | 71; 219 | - Soup | 75 |
| Folliculitis..... | 89 | - Sour | 70; 209 |
| Food | | - Sweet and sour | 88; 314 |
-

Index

-
- Sweets 75; 81
 - Vegetables, raw 72; 220
 - Warm food 81
 - Food modalities..... 40
 - Forceps delivery..... 51
 - Forsaken feeling 67; 183
 - Fright.....*See Fear*
 - Frowning 188
 - Functional problems 375
 - Gallicum acidum* 317; 374
 - Ganglion..... 85
 - Gastroenteritis..... 60; 67; 120; 188
 - Gastrointestinal complaints. 60; 67; 69; 188; 196; 268
 - Gelsemium sempervirens* 125; 126
 - Generals 39
 - Genetic predisposition 31; 33
 - Glands..... 129; 130
 - Neck 67
 - Swelling 89
 - Gonorrhoea..... 33
 - Gout 118
 - Graphites* 118; 162; 242; 290; 323; 364
 - Gratiola officinalis* 357
 - Grief 52; 53
 - Group analysis 54
 - Gums 87
 - Haematoma 51
 - Haemorrhage 63; 87; 152; 154
 - Bright red 152; 153
 - Dark, oozing 153
 - Haldol*..... 66; 177
 - Hamamelis virginiana* 242; 243
 - Haightiness 94; 354
 - Hay fever..... 63; 147
 - Headache.... 61; 65; 67; 68; 70; 72; 76; 81; 91; 124; 164
 - Concussion after 163; 165
 - Heart 33; 69; 70; 203; 204; 210
 - Hepar sulphuris calcareum*50; 129; 175; 258
 - Hereditary predisposition 31; 32; 34
 - Herpes zoster..... 88; 319; 321
 - High blood pressure*See Hypertension*
 - Hips 65
 - Hoarseness ...62; 77; 93; 144; 256; 345
 - Home pharmacy 138; 154; 158
 - Hormonal system 219
 - Hurried..... 72; 226
 - Hyosciamus niger*..... 253; 296; 317
 - Hyperacidity of stomach..... 84
 - Hypericum perforatum*..... 141; 142
 - Hypertension 85; 91; 305; 335
 - Hypertrophy of tissues 33
 - Hyperventilation..... 94; 352
 - Hypotension 230
 - Hypothesis..... 54
 - Ignatia amara* 53
 - Immune deficiency 25
 - Immune response..... 143; 209
 - Impetigo..... 80; 115; 268; 269
 - Incontinence
 - Faecal 60; 84; 120; 293
 - Incurable diseases 25
 - Infants..... 285
 - Infectious mononucleosis*See Pfeiffer's disease*
 - Influenza 61; 62; 76; 103; 123; 126; 135
 - Injuries 78; 140; 256
 - Head 27; 52; 53
 - Insanity 33
 - Insect-bites 116; 117; 118
 - Insecurity ...69; 73; 81; 86; 92; 198; 199; 280; 306
 - Intense symptoms 19; 38
 - Interpreting symptoms..... 282
 - Iodium*..... 339
 - Ipecacuanha* 98; 153
 - Irritability .73; 89; 94; 226; 321; 354
 - Jaws 67; 188; 191
 - Jealousy 97; 370
 - Joints 33
 - Weak 91; 333; 335
 - Kali bichromicum* 190; 191; 238
-

Index

<i>Kali carbonicum</i> 145; 223; 283; 285; 310; 316	Malaria..... 29
<i>Kali sulphuricum</i> 317	Mammae..... 61; 127; 129
Keynotes 45; 56	Manic depression 180
- Contradicted 318	Marihuana..... 66
Kicking..... 92	Mastitis 61; 89; 127; 129; 130
Kidneys 192	Measles 59; 100; 102
- Insufficiency 192	<i>Medorrhinum</i> 265; 266; 339
Kissing..... 66; 178	Meningitis 29; 158; 188; 190
Knees 65; 170	Menses 40; 94
<i>Lac defloratum vaccinum</i> 36	- Clotted 86; 307
<i>Lachesis muta</i> . 150; 180; 206; 223; 227; 241; 243; 316; 329	- Painful 68; 74; 94; 154; 354
Larynx	- Profuse 63; 74; 86; 154; 307
- Pain 78	- Protracted 154
- Red spots 78; 256	Mental plane..... 22
Laws of cure See <i>Directions of cure</i>	Mental symptoms 39
Learning disability 83; 288	<i>Mercurius corrosivus</i> 122
<i>Ledum palustre</i> 117; 118; 119; 141; 161	<i>Mercurius solubilis</i> 33
Lesser known remedies 376	<i>Mercurius solubilis (vivus)</i> 122; 158; 253; 296
Leucocytes increased 96	Metastasis 25
Levels of health 25; 31; 250; 264	Metrorrhagia 95; 361
Lies..... 92	Miasm 32; 51; 169
Ligaments..... 162	Miasmatic prescription..... 52
<i>Lilium tigrinum</i> 200	Migraine..... 67
Lippe A. 262	Mildness 92; 207
Listless 68; 75; 193; 236	Milk ducts..... 130
Liver dysfunction 199	<i>Millefolium</i> 153; 154
LM potencies..... See <i>Q potencies</i>	Misconception 33
Local symptoms 40	Modalities 40
Loneliness See <i>Forsaken feeling</i>	Mood, changeable 76
Loquacity..... 306	Mucous
Low blood pressure..... See <i>Hypotension</i>	- Acrid 148
<i>Luffa operculata</i> 63	- Elastic 189
Lung cancer 23	- Green 62; 76; 78; 81; 83; 144; 245; 256; 274; 281
<i>Lycopodium clavatum</i> 57; 108; 138; 186; 199; 228; 356; 357; 373	- Lumpy 76; 245
Lyme disease 114	- Ropy 71; 215
Lymphangitis 62; 78; 140; 142; 260	- Sticky 67; 189
<i>Magnesia carbonica</i> 277; 278	- Thick 76; 245
<i>Magnesia muriatica</i> 57; 277	- Tough 60; 81; 111; 274
<i>Magnesium sulphuricum</i> 348	- Viscid 67; 78; 256
	Mucous membranes..... 100; 188
	Muscle pains..... 123
	Muscular complaints..... 105

Index

- Musculo-skeletal complaints... 105; 172
- Mysticism 55
- Natrium muriaticum*..... 36; 52; 149; 175; 186; 301
- Natrium sulphuricum*... 51; 52; 122; 168; 332
- Nature of pathology 23
- Nausea..... 73
- Neck
- Pain 67; 183
 - Stiffness 69; 85; 204; 299
 - Trauma 167
- Nervous system
- Overexcited 280
- Nervousness 75; 236
- Neurological complaints.... 33; 105; 114; 319; 333
- Niccolum metallicum/carbonicum* 348
- Nipples 61; 128; 130
- Nose
- Eruptions 83; 293
 - Obstructed 63; 74; 76; 236; 245
 - Root of 75; 236
- Nosode..... 35; 52; 53; 268; 324
- Numbness..... 69; 204
- Nux vomica*85; 181; 207; 277; 302; 338; 355; 357
- Obesity 80; 91; 270; 335
- Obstinate 81; 88; 89; 274; 314; 321
- Oedema 118
- One-sided diseases 344
- Opium* 151; 252; 253; 266
- Otitis media 134; 137
- Ovaries..... 68; 89; 196; 197
- Overexertion 65; 69; 74; 84; 94; 169; 171; 203; 297; 299
- Overgrowth 33
- Oversensitiveness 35
- Palate, itching 63
- Paleness 64; 75; 96; 236; 370
- Palliation 25
- Palpitations of heart 70; 84; 91; 94; 210; 280; 299
- Parkinson's disease 91; 333
- Pathology-oriented analysis 109; 115; 118; 193; 213; 259; 310; 330; 364
- PDD-NOS 342
- Peculiar symptoms 19; 38
- Penicillin*..... 84; 291; 292
- Periodic table..... 54
- Periodical complaints 62; 64; 65; 76; 82; 156; 274
- Periost 161
- Perspiration 68; 77; 78; 256
- Offensive 93; 345
 - Profuse 97; 370
- Pfeiffer's disease ..29; 67; 182; 225
- Complaints after 72
- Phagedenic processes 33
- Pharyngitis..... 75; 86; 240
- Phellandrium aquaticum*..... 130
- Phosphorus*36; 108; 112; 145; 146; 175; 176; 212; 238; 247; 277; 284; 285; 373
- Photophobia 63; 148
- Physical generals ..39; 40; 44; 285; 319
- Physical plane 22
- Phytolacca decandra*..... 130; 172
- Pimples..... 60; 116
- Plant families 54
- Platina metallicum* 357
- Pneumonia23; 29; 63; 70; 110; 113; 143; 208; 210
- Podophyllum peltatum*..... 122; 200; 201
- Polychrests..... 202
- Posterior drip 64
- Posterior nares 74
- Post-operative inflammations.... 90; 326
- Potencies
- High 16; 30; 234; 249; 272
 - Low 16; 196; 341

Index

- Prednisone* 28
- Pregnancy 95; 359
- Prognosis 21
- Provings 55
- Pruritis *See Skin, itching*
- Pseudomonas aeruginosa* . 68; 192
- Psora 32; 287; 305; 334; 343
- Psychological symptoms 39
- Psychosis 66; 177
- Pulsatilla pratensis* 68; 76; 102; 137;
149; 185; 194; 216; 217; 238;
276; 309; 317; 372
- Pyrogenium* 329
- Q potencies 131; 278; 297; 350
- Reappearance of symptoms 14
- Reckless 84; 293
- Remedy layers .. 25; 30; 34; 42; 51;
225; 228; 274; 299; 314; 327;
361
- Remedy pattern
- Clear 36
 - Confused 30
 - Unclear 30
- Renal insufficiency ... *See Kidneys - Insufficient*
- Repertorisation advices
- Attention seeking behaviour 371
 - Busy 307
 - Children's rubrics 346
 - Chilly remedies 371
 - Clinical rubrics 300
 - Clinical symptoms 161
 - Combining rubrics 101
 - Compulsive disorders 314
 - Convalescence, ailments after 275
 - Dark circles around eyes 156;
371
 - Elimination 302; 346; 365
 - Extrasystoles 300
 - Feeling of not being liked 275
 - Flushes of heat 220
 - Greenish-brown mucous 275
 - Headache after sleeping too long 221
 - Heat followed by chilliness 256
 - Herpes zoster 321
 - High blood pressure 335
 - High cholesterol 335; 336
 - High fever 210
 - Hunger without gaining weight 236
 - Inflammations 128; 136
 - Injuries from splinters 141
 - Injuries from thorns 141
 - Irritation, synonyms of 101
 - Language used during provings 128
 - Learning disabilities 290
 - Left sided pain 189
 - Legs, the concept of 184
 - Localisations hierarchical 106
 - Locals vs. generals 370
 - Low blood pressure 232
 - Overexertion 205
 - Pain description mammae 129
 - Shortness of breath 112
 - Sinus complaints 246
 - Small remedies 317; 338; 357
 - Small rubrics 144; 148; 338
 - Sour things 210
 - Stress 300
 - Sub rubrics concerning 'in children' 282
 - Time modalities 152; 165
 - Tough, viscid, ropy and tenacious 189
 - Urging for stool 331
 - Weeping easily 184
- Repertorisations 15
- Repetition of the remedy 30
- Repetitive strain injury 169
- Reproductive system 219
- Reserved 80; 90; 269; 331
- Respiration 108
- Difficult 59; 70; 79; 94; 110; 111;
123; 209; 265

Index

-
- Rattling 79; 84
 - Respiratory tract 91; 103; 263; 273; 291
 - Responsibility..... 74; 80; 232; 335
 - Restlessness..... 69; 71; 82; 86; 92; 204; 281; 306; 346
 - Restricted people 35
 - Rheuma 118
 - Rhinitis 14
 - Rhododendron chrysanthum* 171
 - Rhus toxicodendron*.... 36; 52; 107; 126; 161; 171; 206; 207
 - RSI 169
 - Rudeness..... 92; 346
 - Rumbling *See Abdomen:- Rumbling*
 - Ruta graveolens*..... 161; 172; 173
 - Sacral pain *See Sacralgia*
 - Sacralgia 59; 106
 - Sacroiliac joint..... 59; 106; 109
 - Salicylicum acidum* 172
 - Sanguinaria canadensis* . 102; 103; 104
 - Screaming..... 370
 - Secondary gonorrhoea 32
 - Secondary syphilis 32
 - Secretive 84; 293
 - Sedimentation rate..... 96
 - Selflessness..... 35
 - Sensitiveness.. 67; 80; 82; 92; 269; 281; 345
 - Sepia officinalis* 175; 186; 200; 222; 223; 363
 - Sepsis 90; 326
 - Shivers 61; 67
 - Shortcuts..... 42; 50
 - Shortness of breath *See Respiration difficult*
 - Shoulders 69; 204
 - Shyness 71; 215
 - Side symptoms 30
 - Sight..... *See Vision*
 - Signatures..... 54
 - Silicea terra* . 36; 53; 117; 175; 322; 364
 - Similar remedies..... 202
 - Similia Similibus Curentur* 104; 109
 - Similimum potency 208; 224
 - Sinus
 - Inflammation 76; 244
 - Maxillary 76; 245
 - Skin
 - Dry 88; 321
 - Itching 88; 321
 - Sleep
 - Disorders 69; 82; 87; 196; 280; 306; 313; 361
 - Restless 97; 370
 - Sleeping habits..... 40
 - Sleeplessness 76; 87; 95; 313
 - Sleepwalking 66; 176
 - Sneezing 63; 74; 148
 - Soft drugs 177
 - Speculation..... 54; 55
 - Spigelia anthelmia*... 166; 167; 168; 248
 - Sprain of the ankle *See Ankles, sprains*
 - Sprains 161
 - Stannum metallicum*..... 112
 - Staphisagria* 133; 329
 - Staphylococcal infection..... 268
 - Staphylococcinum* 115
 - Startling easily 82; 281
 - Stellaria media*..... 172
 - Sternum..... 59; 62; 101; 103; 144
 - Stings 116
 - Stomach
 - Fullness 85; 299
 - Pain 77; 94; 354
 - Rumbling 85; 299
 - Stool
 - Bloody 90
 - Light coloured 69; 198
 - Mucous 96; 369
 - Mushy 80; 270
 - Sputtering 60
 - Stramonium*..... 138; 158; 159; 166; 190; 253; 296; 309; 311
-

Index

- Strategies 42
Streptococcal infection 268
Streptococcinum 115
Strontium carbonicum 162; 339; 340
Sulphur 33; 53; 107; 117; 121; 126;
145; 176; 206; 222; 238; 316;
337; 373
Suppression 14; 26; 28; 32; 33; 43;
50; 53; 320
Suppuration 130
Sweat *See Perspiration*
Sycosis 33; 204; 225; 267; 305;
320; 334; 343
Syphilis 33
Syphilitic miasm 33; 235; 287; 334;
343
Systemic diseases 105; 114
Syzygium jambolanum 116
Tear duct
- Obstructed 88; 313
Teething *See Dentition*
Temperature 40
Tendinitis 65; 170; 173
Tendons 65; 161; 170
- Inflammation of *See Tendinitis*
Tension 85
Terminal care 70; 214; 217
Tetanus 142
Thirst 70; 76; 79; 144; 210; 264
Thirstless. 62; 68; 70; 84; 193; 215;
293; 306
Thorn 140
Throat
- Pain 75; 78; 240; 255
Throwing things 370
Thuja occidentalis 33; 53; 108; 185;
186; 187; 248; 323
Tick bite 60; 114; 119
Timidity 80; 82; 83; 92; 282; 288
Tinnitus 76
Tiredness 61; 63; 72; 75; 76; 77; 78;
90; 94; 144; 327; 361
Tissue changes 17
Tonsillitis 62; 136
Tonsils 75; 241
Tooth extraction 154
Totality 43
Trachea 75; 100; 236
Trapezius muscle 69; 94; 204
Trauma 27; 133; 162
- Emotional 27
- Mental 27
- Physical 27
Trauma remedies 132; 153
Tubercular predisposition .. 35; 305;
334; 343; 352; 368; 373; 374
Tuberculinum bovinum Kent.... 324;
353; 368
Tuberculosis 35; 374
Ulcers 33
Underlining of symptoms 15
Urethritis 33
Urinary tract inflammation 68; 90
Urine
- Mucous 68; 193
- Scanty 68; 192
Vaccin Attenué Billé 321
Vaccinations 28; 79; 263; 323
- BCG vaccine 324
- Influenza 124
- Tuberculosis 88; 320
Vagina 68
Varicose veins 85; 87; 298
Veratrum album 180; 181; 182
Vertigo 70; 73; 85; 230; 299
Vesicles 93; 345
Vision, complaints of .. 61; 123; 124
Vital sensations 54
Vocal cords
- Inflammation of 78; 256
- Nodules 93; 345
Voice, loss of 144
Vomiting 67
Waking
- Frequent 87; 306
Warts 93
Weakness 124
- Pregnancy, during 95; 359

Index

Weeping.....	67; 71; 184; 215	- Inflamed	141
Whooping cough.	29; 81; 102; 273; 274	- <i>Lacerated</i>	142
Worries.....	299	- Non-healing	61; 132; 142
Wounds....	27; 62; 78; 90; 116; 260	- Punctured	117; 141
- <i>Incised</i>	142	- Surgical	61
		<i>Zincum metallicum</i>	302